



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Luster Blue XPS-66B1

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- tin oxide- ferric ferrocyanide- silica. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	44-49	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	50-55	Not classified
Tin oxide	18282-10-5	242-159-0	77861	0-0.5	Not classified
Ferric ferrocyanide	1408-43-8	237-875-5	77510	0-1.0	Not classified
Silica	7631-86-9	231-545-4.		0-0.5	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13



According to ECRegulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

7. HANDLING AND STORAGE

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Luster Blue

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.2-3.3 kg/L

Bulk density : 31-35 g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Peach Pink XPS-66R1

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide - iron oxide - silica. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	69-73	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	26-30	Not classified
Iron oxide	1309-37-1	215-168-2	77491	0-0.5	Not classified
Silica	7631-86-9	231-545-4		0-0.5	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Peach Pink

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 2.9-3.0 kg/L

Bulk density : 21-25g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Gold Pearl XPS-300

Relevant identified uses of the substance or mixture and uses advised against : colouring agent
: not known

Uses advised against

Details of the supplier of the safety data sheet

Manufacturer: Xtreme Polishing Systems

24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- tin dioxide- iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification
Mica	12001-26-2	310-127-6	77019	57-64	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	35-42	Not classified
Tin Dioxide	18282-10-5	242-159-0	77861	0-1	Not classified
Iron oxide	1309-37-1	215-168-2	77491	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended :a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable

Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Gold Pearl

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.1-3.2 kg/L

Bulk density : 24-28 g/100g

Vapour pressure : not applicable



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None
Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC

: not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture

:not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Gold Satin XPS-302

Relevant identified uses of the substance or mixture and uses advised against : colouring agent :

Uses advised against not known

Details of the supplier of the safety data sheet

Manufacturer: Xtreme Polishing Systems

24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- tin dioxide - iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	40-48	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	45-49	Not classified
Tin Dioxide	18282-10-5	242-159-0	77861	0-1	Not classified
Iron oxide	1309-37-1	215-168-2	77491	7-11	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

7. HANDLING AND STORAGE

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Gold Satin

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.2-3.3 kg/L

Bulk density : 28-32 g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 5-25µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental

regulations/legislations specific for the

substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Royal Gold XPS-303

Relevant identified uses of the substance or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety data sheet

Manufacturer: Xtreme Polishing Systems

24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- tin dioxide - iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	53-61	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	20-24	Not classified
Tin Dioxide	18282-10-5	242-159-0	77861	0-1	Not classified
Iron oxide	1309-37-1	215-168-2	77491	19-23	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

7. HANDLING AND STORAGE

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Royal Gold

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.1-3.2 kg/L

Bulk density : 24-28 g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental

regulations/legislations specific for the

substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Maya Gold XPS-304

Relevant identified uses of the substance or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety data sheet

Manufacturer: Xtreme Polishing Systems

24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- tin dioxide - iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	54-62	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	23-27	Not classified
Iron oxide	1309-37-1	215-168-2	77491	15-19	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended :a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Maya Gold

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.1-3.2 kg/L

Bulk density : 24-28 g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY

Reactivity : there may be violent or incandescent reaction of the product with metals at high



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)
Chemical stability : stable under normal conditions
Possibility of hazardous reactions : none
Conditions to avoid : high temperature
Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents
Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available
Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data
Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water
Bioaccumulative potential : no data
Mobility in soil : not applicable
Results of PBT and vPvB assessment : not applicable
Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None
Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Hazard label(s)	Not applicable
Additional information	Custom tariff No. 32061900

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the

substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Bright Gold XPS-320

Relevant identified uses of the substance or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety data sheet

Manufacturer: Xtreme Polishing Systems

24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- tin dioxide - iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification
					According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	56-64	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	32-38	Not classified
Iron oxide	1309-37-1	215-168-2	77491	4-6	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended :a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder
Colour : Bright Gold
Odour : odourless
pH : 6.0-9.0 (4% H₂O)
Boiling point, ° C : not applicable
Melting point, ° C : decomposes
Freezing point, ° C : not applicable
Density : 2.7-3.3 kg/L
Bulk density : 22-28 g/100g
Vapour pressure : not applicable
Solubility (in water) : insoluble
Particle size : 10-60µm



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

10. STABILITY AND REACTIVITY

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None
Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TCSA Inventory: All of the ingredients in this product are listed on the EPA TCSA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Red Pearl XPS-508
Relevant identified uses of the substance or mixture
and uses advised against : colouring agent : not
Uses advised against known
Details of the supplier of the safety data sheet
Manufacturer: Xtreme Polishing Systems

24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.
1272/2008(CLP) : not classified
According to Directive 67/548/EEC &
Directive 1999/45/EC : not classified
Additional information : not available

Label elements

GHS label elements : not applicable
Hazard pictogram(s) : not applicable
Signal word(s) : not applicable
Hazard statement(s) : not applicable
Precautionary statement(s) : not applicable
Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - iron oxide.. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	45-49	Not classified
Iron oxide	1309-37-1	215-168-2	77491	51-55	Not classified

4. FIRST AID MEASURES



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended :a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to ECREgulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder
Colour : Red Pearl
Odour : odourless
pH : 6.0-9.0 (4% H₂O)
Boiling point, ° C : not applicable
Melting point, ° C : decomposes
Freezing point, ° C : not applicable
Density : 3.0-3.1 kg/L
Bulk density : 19-23 g/100g
Vapour pressure : not applicable
Solubility (in water) : insoluble
Particle size : 10-60µm

10. STABILITY AND REACTIVITY

Reactivity : there may be violent or incandescent reaction of the product with metals at high



Xtreme Polishing Systems

2200 NW 32nd Street #700
 Pompano Beach, FL 33069
 Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None
Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Hazard label(s)	Not applicable
Additional information	Custom tariff No. 32061900

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TCSA Inventory: All of the ingredients in this product are listed on the EPA TCSA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Coffee XPS-510

Relevant identified uses of the substance or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety data sheet

Manufacturer: Xtreme Polishing Systems

24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - iron oxide.. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	59-63	Not classified
Iron oxide	1309-37-1	215-168-2	77491	37-41	Not classified

4. FIRST AID MEASURES



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended :a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Coffee

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.1-3.2 kg/L

Bulk density : 17-21 g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY

Reactivity : there may be violent or incandescent reaction of the product with metals at high



Xtreme Polishing Systems

2200 NW 32nd Street #700
 Pompano Beach, FL 33069
 Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)
 Chemical stability : stable under normal conditions
 Possibility of hazardous reactions : none
 Conditions to avoid : high temperature
 Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents
 Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available
 Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data
 Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water
 Bioaccumulative potential : no data
 Mobility in soil : not applicable
 Results of PBT and vPvB assessment : not applicable
 Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None
Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Hazard label(s)	Not applicable
Additional information	Custom tariff No. 32061900

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Olive Yellow XPS-6011

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- iron oxide Yellow. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification
					According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	50-55	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	44-49	Not classified
Iron oxide Yellow	51274-00-1	257-098-5	77492	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including selfcontained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Olive Yellow

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.0-3.1 kg/L

Bulk density : 26-30g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Lemon Yellow XPS-6013

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification
					According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	55-59	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	40-44	Not classified
Iron oxide	1309-37-1	215-168-2	77491	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Lemon Yellow

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 2.9-3.0 kg/L

Bulk density : 24-28g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : : not applicable

Other adverse effects : : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Dark Green XPS-6515

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification
					According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	55-59	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	40-44	Not classified
Iron oxide	1309-37-1	215-168-2	77491	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Lemon Yellow

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 2.9-3.0 kg/L

Bulk density : 24-28g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classified as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****Product Identifier**

Trade name : Shine Red XPS-6026

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheetManufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924****2. HAZARD IDENTIFICATION****Classification of the substance or mixture**

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification
					According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	50-55	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	44-49	Not classified
Iron oxide	1309-37-1	215-168-2	77491	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to ECREgulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Shine Red

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.0-3.1 kg/L

Bulk density : 24-28g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Ocean Blue XPS-6040

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- ultramarine blue .Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification
Mica	12001-26-2	310-127-6	77019	68-72	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	26-30	Not classified
Ultramarine blue	57455-37-5	309-928-3	77007	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Ocean Blue

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 2.9-3.0 kg/L

Bulk density : 22-26 g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Iridescent Blue XPS-6042

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- ultramarine blue .Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification
Mica	12001-26-2	310-127-6	77019	46-51	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	48-53	Not classified
Ultramarine blue	57455-37-5	309-928-3	77007	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Iridescent Blue

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.2-3.3 kg/L

Bulk density : 31-35 g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : : not applicable

Other adverse effects : : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Sky Blue XPS-6043

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent : not

Uses advised against known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- ultramarine blue .Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	55-59	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	40-44	Not classified
Ultramarine blue	57455-37-5	309-928-3	77007	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Sky Blue

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.0-3.1 kg/L

Bulk density : 24-28 g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Bright Blue XPS-6045

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- ultramarine blue .Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification
					According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	46-51	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	48-53	Not classified
Ultramarine blue	57455-37-5	309-928-3	77007	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Bright Blue

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 2.9-3.0 kg/L

Bulk density : 16-20 g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-100µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Pine Green XPS-6053

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- iron oxide-chromium oxide green. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	48-54	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	45-51	Not classified
Iron oxide	1309-37-1	215-168-2	77491	0-1	Not classified
Chromium oxide green	1308-38-9	215-160-9	77288	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

7. HANDLING AND STORAGE

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Pine Green

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 2.6-3.3 kg/L

Bulk density : 25-31 g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Iridescent Green XPS-6058

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- chromium oxide green. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	43-47	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	52-56	Not classified
Chromium oxide green	1308-38-9	215-160-9	77288	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to ECREgulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Iridescent Green

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.0-3.1 kg/L

Bulk density : 26-30 g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Gold Green XPS-6059

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- iron oxide-chromium oxide green. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	43-47	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	52-56	Not classified
Iron oxide	1309-37-1	215-168-2	77491	0-1	Not classified
Chromium oxide green	1308-38-9	215-160-9	77288	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended :a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

7. HANDLING AND STORAGE

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Gold Green

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.0-3.1 kg/L

Bulk density : 26-30g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to ECREgulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potentiall : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : : not applicable

Other adverse effects : : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Peacock Green XPS-6060

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- iron oxide-chromium oxide green. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	44-48	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	52-56	Not classified
Iron oxide	1309-37-1	215-168-2	77491	0-1	Not classified
Chromium oxide green	1308-38-9	215-160-9	77288	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

7. HANDLING AND STORAGE

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Peacock Green

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.0-3.1 kg/L

Bulk density : 24-28 g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to ECREgulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potentiall : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : : not applicable

Other adverse effects : : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Chestnut Brown XPS-6081

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- tin dioxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	59-63	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	35-39	Not classified
Tin dioxide	18282-10-5	242-159-0	77861	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Chestnut Brown

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.0-3.1 kg/L

Bulk density : 16-20g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Luster Brown XPS-6082

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	50-55	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	44-49	Not classified
Iron oxide	1309-37-1	215-168-2	77491	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Luster Brown

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.0-3.1 kg/L

Bulk density : 24-28g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Luster Grey XPS-6090

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	68-72	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	26-30	Not classified
Iron oxide	1309-37-1	215-168-2	77491	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Luster Grey

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 2.9-3.0 kg/L

Bulk density : 22-26g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Light Grey XPS-6092

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	69-73	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	26-30	Not classified
Iron oxide	1309-37-1	215-168-2	77491	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Light Grey

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 2.9-3.0 kg/L

Bulk density : 22-28g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Satin White Grey XPS-6094

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	59-63	Not classified
Iron oxide	1309-37-1	215-168-2	77491	35-41	Not classified

4. FIRST AID MEASURES



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended :a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Satin White Grey

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 2.9-3.0 kg/L

Bulk density : 23-27g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 5-25µm

10. STABILITY AND REACTIVITY

Reactivity : there may be violent or incandescent reaction of the product with metals at high



Xtreme Polishing Systems

2200 NW 32nd Street #700
 Pompano Beach, FL 33069
 Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)
 Chemical stability : stable under normal conditions
 Possibility of hazardous reactions : none
 Conditions to avoid : high temperature
 Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents
 Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available
 Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data
 Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water
 Bioaccumulative potential : no data
 Mobility in soil : not applicable
 Results of PBT and vPvB assessment : not applicable
 Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None
Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Hazard label(s)	Not applicable
Additional information	Custom tariff No. 32061900

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Luster Violet XPS-6311

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- tin dioxide- manganese violet. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification
Mica	12001-26-2	310-127-6	77019	48-54	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	45-51	Not classified
Tin dioxide	18282-10-5	242-159-0	77861	0-1	Not classified
Manganese violet	10101-66-3	233-257-4	77742	0-1	Not classified



According to ECREgulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended :a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable

Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Luster Violet

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.0-3.1 kg/L

Bulk density : 27-31g/100g

Vapour pressure : not applicable



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None
Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC

: not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture

:not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TCSA Inventory: All of the ingredients in this product are listed on the EPA TCSA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to ECREgulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Apple Green XPS-6512

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide - chromium oxide green. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification
					According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	43-47	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	52-56	Not classified
Chromium oxide green	1308-38-9	215-160-9	77288	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Apple Green

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.2-3.3 kg/L

Bulk density : 32-36g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Flash Green XPS-6514

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide - chromium oxide green. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification
					According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	69-73	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	26-30	Not classified
Chromium oxide green	1308-38-9	215-160-9	77288	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Flash Green

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 2.9-3.0 kg/L

Bulk density : 23-27g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-100µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Dark Green XPS-6515

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification
					According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	55-59	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	40-44	Not classified
Iron oxide	1309-37-1	215-168-2	77491	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Lemon Yellow

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 2.9-3.0 kg/L

Bulk density : 24-28g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Bronze Brown XPS-6811

Relevant identified uses of the substance or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety data sheet

Manufacturer: Xtreme Polishing Systems

24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification
					According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	59-63	Not classified
Iron oxide	1309-37-1	215-168-2	77491	37-41	Not classified

4. FIRST AID MEASURES



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended :a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Bronze Brown

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.0-3.1 kg/L

Bulk density : 16-20g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY

Reactivity : there may be violent or incandescent reaction of the product with metals at high



Xtreme Polishing Systems

2200 NW 32nd Street #700
 Pompano Beach, FL 33069
 Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None
Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Hazard label(s)	Not applicable
Additional information	Custom tariff No. 32061900

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Brown XPS-6811

Relevant identified uses of the substance or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety data sheet

Manufacturer: Xtreme Polishing Systems

24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification
					According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	59-63	Not classified
Iron oxide	1309-37-1	215-168-2	77491	37-41	Not classified

4. FIRST AID MEASURES



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended :a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Bronze Brown

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 3.0-3.1 kg/L

Bulk density : 16-20g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY

Reactivity : there may be violent or incandescent reaction of the product with metals at high



Xtreme Polishing Systems

2200 NW 32nd Street #700
 Pompano Beach, FL 33069
 Tel: 800.659.5843

According to ECREgulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)
 Chemical stability : stable under normal conditions
 Possibility of hazardous reactions : none
 Conditions to avoid : high temperature
 Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents
 Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available
 Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data
 Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water
 Bioaccumulative potentiall : no data
 Mobility in soil : not applicable
 Results of PBT and vPvB assessment : : not applicable
 Other adverse effects : : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None
Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Hazard label(s)	Not applicable
Additional information	Custom tariff No. 32061900

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Silver Black XPS-6913

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- carbon black. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	68-72	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	26-30	Not classified
Carbon black	1333-86-4	215-609-9	77266	0-2	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Silver Black

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 2.9-3.0 kg/L

Bulk density : 22-26g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to ECRegulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Black Pearl XPS-6914

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : mica - titanium oxide- iron oxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Mica	12001-26-2	310-127-6	77019	66-82	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	18-34	Not classified
Iron oxide	1309-37-1	215-168-2	77491	0-1	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Black Pearl

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 2.7-3.0 kg/L

Bulk density : 22-28g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Satin White XPS-7102

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : fluorphlogopite - titanium dioxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Fluorphlogopite	12003-38-2	234-426-5		62-68	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	32-38	Not classified

4. FIRST AID MEASURES



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended :a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to ECREgulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder
Colour : Satin White
Odour : odourless
pH : 6.0-9.0 (4% H₂O)
Boiling point, ° C : not applicable
Melting point, ° C : decomposes
Freezing point, ° C : not applicable
Density : 2.8-3.3 kg/L
Bulk density : 20-26 g/100g
Vapour pressure : not applicable
Solubility (in water) : insoluble
Particle size : 5-25µm

10. STABILITY AND REACTIVITY

Reactivity : there may be violent or incandescent reaction of the product with metals at high



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)
Chemical stability : stable under normal conditions
Possibility of hazardous reactions : none
Conditions to avoid : high temperature
Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents
Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available
Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data
Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water
Bioaccumulative potential : no data
Mobility in soil : not applicable
Results of PBT and vPvB assessment : not applicable
Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None
Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Hazard label(s)	Not applicable
Additional information	Custom tariff No. 32061900

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Bright White XPS-7103

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : fluorphlogopite - titanium dioxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Fluorphlogopite	12003-38-2	234-426-5		74-80	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	20-26	Not classified

4. FIRST AID MEASURES



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended :a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to ECREgulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder
Colour : Bright White
Odour : odourless
pH : 6.0-9.0 (4% H₂O)
Boiling point, ° C : not applicable
Melting point, ° C : decomposes
Freezing point, ° C : not applicable
Density : 2.8-3.3 kg/L
Bulk density : 16-22 g/100g
Vapour pressure : not applicable
Solubility (in water) : insoluble
Particle size : 10-60µm

10. STABILITY AND REACTIVITY

Reactivity : there may be violent or incandescent reaction of the product with metals at high



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)
Chemical stability : stable under normal conditions
Possibility of hazardous reactions : none
Conditions to avoid : high temperature
Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents
Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available
Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data
Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water
Bioaccumulative potential : no data
Mobility in soil : not applicable
Results of PBT and vPvB assessment : not applicable
Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None
Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Hazard label(s)	Not applicable
Additional information	Custom tariff No. 32061900

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Luster White XPS-7104

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : fluorphlogopite - titanium dioxide. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Fluorphlogopite	12003-38-2	234-426-5		81-88	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	12-19	Not classified

4. FIRST AID MEASURES



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended :a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE



According to ECREgulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder
Colour : Luster White
Odour : odourless
pH : 6.0-9.0 (4% H₂O)
Boiling point, ° C : not applicable
Melting point, ° C : decomposes
Freezing point, ° C : not applicable
Density : 2.7-3.2 kg/L
Bulk density : 14-20 g/100g
Vapour pressure : not applicable
Solubility (in water) : insoluble
Particle size : 15-75µm

10. STABILITY AND REACTIVITY

Reactivity : there may be violent or incandescent reaction of the product with metals at high



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)
Chemical stability : stable under normal conditions
Possibility of hazardous reactions : none
Conditions to avoid : high temperature
Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents
Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available
Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data
Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water
Bioaccumulative potential : no data
Mobility in soil : not applicable
Results of PBT and vPvB assessment : not applicable
Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None
Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to ECREgulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Hazard label(s)	Not applicable
Additional information	Custom tariff No. 32061900

15.REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Synstar Purple XPS-7419

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : fluorphlogopite - titanium oxide- tin dioxide - manganese violet. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Fluorphlogopite	12003-38-2	234-426-5		44-51	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	40-47	Not classified
Tin Dioxide	18282-10-5	242-159-0	77861	0-2	Not classified
Manganese violet	10101-66-3	233-257-4	77742	5-7	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed
Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended : a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable
Reference to other sections : see sections 8 and 13



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

7. HANDLING AND STORAGE

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Synstar Purple

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 2.8-3.2 kg/L

Bulk density : 20-30 g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60 µm

10. STABILITY AND REACTIVITY



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability : stable under normal conditions

Possibility of hazardous reactions : none

Conditions to avoid : high temperature

Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents

Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity : not available

Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

Toxicity : no data

Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential : no data

Mobility in soil : not applicable

Results of PBT and vPvB assessment : not applicable

Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Safety Data Sheet (SDS)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Trade name : Synstar Green XPS-7435

Relevant identified uses of the substance

or mixture and uses advised against : colouring agent

Uses advised against : not known

Details of the supplier of the safety
data sheet

Manufacturer: Xtreme Polishing Systems **24-Hour Emergency Telephone Number United States (ChemTel: MIS7038570) 800.255.3924**

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

According to Regulation (EC) No.

1272/2008(CLP) : not classified

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified

Additional information : not available

Label elements

GHS label elements : not applicable

Hazard pictogram(s) : not applicable

Signal word(s) : not applicable

Hazard statement(s) : not applicable

Precautionary statement(s) : not applicable

Other hazards : not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical family : fluorphlogopite - titanium oxide- tin dioxide - Chromium oxide green. Contains no hazardous ingredients

Common chemical name	CAS No.	EINECS No.	Colour Index	Chemical composition	Hazard classification According to directive 67/548/EEC & Directive 1999/45/EC, Regulation (EC) No. 1272/2008(CLP)
Fluorophlogopite	12003-38-2	234-426-5		35-42	Not classified
Titanium dioxide	13463-67-7	236-675-5	77891	46-53	Not classified
Tin dioxide	18282-10-5	242-159-0	77861	0-2	Not classified
Chromium oxide green	1308-38-9	215-160-9	77288	8-10	Not classified



According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

4. FIRST AID MEASURES

Description of first aid measures

Inhalation: in case of accident by inhalation : remove causality to fresh air and keep at rest
Skin contact : wash affected skin with plenty of water
Eye contact : if contact with eyes directly, flush with gently flowing fresh water thoroughly; If eye irritation persists, get medical advice/attention
Ingestion : if ingested, wash out mouth with water, drink milk or egg white
Notes to physician : no special measures are required

Most important systems and effects,

Both acute and delayed

Actue : none
Long term (repeated) : may cause irritation to the respiratory system. Cough. Increased difficulty in breathing

Indication of immediate medical attention and special treatment needed

Recommended :a. Chest XRay
b. Lung functionality tests

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : extinguish with waterspray, foam or dry chemical
Unsuitable extinguishing media : carbon dioxide

Special hazards arising from the substance or mixture

Thermal hazards : noncombustible. None anticipated
Advice for firefighters : fire fighters should wear complete protective clothing including self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : do not breathe dust
Personal protection equipment : wear appropriate personal protective equipment, avoid direct contact
In case of emergency : a self contained breathing apparatus and suitable protective clothing should be worn in fire conditions
Environmental precautions : do not allow to enter drains, sewers or watercourses
Methods and material for
Containment and cleaning up : collect mechanically and dispose of according to Section 13. Use vacuum equipment for collecting spilt materials, where practicable



According to ECREgulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Reference to other sections : see sections 8 and 13

7. HANDLING AND STORAGE

Precautions for safe handling : avoid breathing dust

Conditions for safe storage

including any incompatibilities : keep container in a wellventilated place

Specific end use(s) : not known

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters : provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures

Exposure limit values : not known

Exposure controls

Appropriate engineering controls : provide adequate ventilation to ensure that the occupational exposure limit is not exceeded. Isolate the dispersive process step away from other operations. This can be achieved by local exhaust ventilation or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Hand/eye/face protection : wear gloves, eye protection and an approved dust mask if dust is generated during handling. Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection : apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Respiratory protection : dust mask covering nose and mouth

Thermal hazards : none

Environmental exposure controls : avoid dust generation. Avoid accumulation of dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : powder

Colour : Synstar Green

Odour : odourless

pH : 6.0-9.0 (4% H₂O)

Boiling point, ° C : not applicable

Melting point, ° C : decomposes

Freezing point, ° C : not applicable

Density : 2.8-3.2 kg/L

Bulk density : 20-30 g/100g

Vapour pressure : not applicable

Solubility (in water) : insoluble

Particle size : 10-60 µm



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

10. STABILITY AND REACTIVITY

- Reactivity : there may be violent or incandescent reaction of the product with metals at high temperatures (e.g., aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)
- Chemical stability : stable under normal conditions
- Possibility of hazardous reactions : none
- Conditions to avoid : high temperature
- Incompatible materials : strongly acidic, strongly alkaline, oxidizing agents
- Decomposition products : no information available

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This inorganic pigment in general is considered to be practically nontoxic.

- Acute toxicity : not available
- Carcinogenicity : not available

12. ECOLOGICAL INFORMATION

- Toxicity : no data
- Persistence and degradability : insoluble in water. This product is predicted not to degrade in soil and water
- Bioaccumulative potential : no data
- Mobility in soil : not applicable
- Results of PBT and vPvB assessment : not applicable
- Other adverse effects : not known

13. DISPOSAL CONSIDERATIONS

- Waste treatment methods : dispose of contents in accordance with local, state or national legislation

14. TRANSPORT INFORMATION

Not classed as dangerous for transport.

International Transport Regulations	ADR/RID	ADN	IMDG	ICAO/IATA
UN number	Not applicable	Not applicable	Not applicable	Not applicable
Proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable	Not applicable
Environmental hazards	None	None	None	None
Special precautions for user	None	None	None	None



Xtreme Polishing Systems

2200 NW 32nd Street #700
Pompano Beach, FL 33069
Tel: 800.659.5843

According to EC Regulation 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Date of issue : 07.09.2011 – Version : EU_EN/2 – Print date : 07.09.2011

Transport in bulk according to Annex II of MARPOL73/78 and The IBC Code	Not applicable	Not applicable	Not applicable	Not applicable
Hazard label(s)	Not applicable			
Additional information	Custom tariff No. 32061900			

15. REGULATORY INFORMATION

According to Directive 67/548/EEC &

Directive 1999/45/EC : not classified as dangerous for supply/use

Safety, health and environmental
regulations/legislations specific for the
substance or mixture :not available

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3; 12; 13 & 14.

United States TCSA information: EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory.

16. OTHER INFORMATION

Annex to the extended Safety Data Sheet (eSDS)

ADR : European Agreement concerning international carriage of Dangerous goods by Road

CAS : Chemical Abstracts Service

EC : European Community

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

IATA : International Air Transport Association

DATA SOURCES

NPIRI Raw Material Handbook, Volume 4, Pigments, Second Edition, 2001

Book on "Safe Handling of Pigments", European Edition 1995, BCMA, EPSOM ETAD, VdMi

HSDB

NIOSH ICSC

Hazardous Substance Fact Sheet, New Jersey Department of Health and Senior Service

We have described our product concerning possible safety requirements by the abovementioned information given to the best of our knowledge and experience. All data given are never meant to guarantee any quality description nor product properties